
# plugin 230



### **ECU CONNECTOR**

In order to connect to the ECU use the CABLE F32GN037C. Make sure that the POWER led (red) on Trasdata is ON Do NOT use this connection with the DIMA

COLORE WIRE CO		DESCRIZIONE DESCRIPTION
	ROSSO RED	POSITIVO DIRETTO POWER BATTERY
100	ARANCIO DRANGE	POSITIVO SOTTO QUADRO POWER SWITCH ON
100	NERO BLACK	MASSA GND
1 83	GIALLO /ELLOW	KLINE
180	/ERDE GREEN	CAN LOW
	BIANCO WHITE	CAN HIGH
	GRIGIO GREY	POL4 BOOT
	BLU BLUE	POL5 CNF1
		TENSIONE PROG. PROG. VOLTAGE
	MARRONE BROWN	RESET <sup>®</sup>



## **BOOT/POL4 DIRECT CONNECTION**


Connect the GREY wire of the cable F32GN037C as described here below:

COLORE FILO WIRE COLOUR	DESCRIZIONE DESCRIPTION
GRIGIO	POL4
GREY	BOOT



### **DIMA CONNECTION**

Connect the boot pin to the pad n.10 of the soldering lay-by pins then verify that the switch BOOT present on the F34DM011 is set in position ON.



This connection picture is merely indicative.

