ATTENZIONE: on this ECU it is **NOT** possible to use the DIMA connection.

plugin 775 BOSCH EDC17C73 TC1793 IROM TOYOTA GPT

GPT CONNECTION MODE


To perform the GPT connection it is necessary to use both the ANALOG PORT and the DIGITAL PORT.

GPT connection with loose wires


Connect the F32GN037 cable to the ANALOG PORT

Connect the F34NTA15 to the **DIGITAL PORT**, use the YELLOW and ORANGE wires for the GPT signals, WHITE and GREEN wires for the second CAN communication line as displayed in the following pictures.

F34NTA15



EDC17C73





ECU CONNECTOR


For the connection use the cable F32GN037C connected to the ECU. Make sure that the POWER led (red) on Trasdata is ON.

COLORE FILO WIRE COLOUR	DESCRIZIONE DESCRIPTION	
ROSSO RED	POSITIVO DIRETTO POWER BATTERY	
ARANCIO ORANGE		DRO
NERO BLACK	MASSA GND	
GIALLO YELLOW	KLINE	
VERDE GREEN	CAN LOW	
BIANCO WHITE	CAN HIGH	
GRIGIO GREY	POL4 BOOT	F32GN037C
BLU BLUE	POL5 CNF1	Passan (1)
	RIGIO TENSIONE PROG. GREY PROG. VOLTAGE	- WHITE
MARRON BROWN	RESET	

GPT DIRECT CONNECTION

Connect the F34NTA15 flat cable to the GPT S1,GPT S2, CAN 2L and CAN2H pins.

PIN / Colore PIN / Coulor	DESCRIZIONE DESCRIPTION
	GPT_S2
	GPT_S1
	CAN 2H
	CAN 2L



DIRECT BOOT CONNECTION

Connect the GREY wire of the F32GN037C cable to the BOOT pad.

COLORE FILO WIRE COLOUR		DESCRIZIONE DESCRIPTION	
	GRIGIO GREY	POL4 BOOT	

