# plugin 237



#### **ECU CONNECTOR**

In order to connect to the ECU use the CABLE F32GN037C. Make sure that the POWER led (red) on Trasdata is ON Do NOT use this connection with the DIMA.


COLORE FILO WIRE COLOUR	DESCRIZIONE DESCRIPTION	
ROSSO RED	POSITIVO DIRETTO POWER BATTERY	
ARANCIO ORANGE	POSITIVO SOTTO QUADRO POWER SWITCH ON	
NERO BLACK	MASSA GND	
GIALLO YELLOW	KLINE	
VERDE GREEN	CAN LOW	
BIANCO WHITE	CAN HIGH	
GRIGIO GREY	POL4 BOOT	F3201037C
BLU BLUE	POL5 CNF1	15/19
VIOLA/GRIGI PURPLE/GREY	TENSIONE PROG. PROG. VOLTAGE	THE PARTY OF THE P
MARRONE BROWN	RESET <sup>®</sup>	



### **POL4&POL5 DIRECT CONNECTION**

Connect the BLUE and GREY wires of the cable F32GN037C as described here below :

COLORE FILO WIRE COLOUR		DESCRIZIONE DESCRIPTION	
	GRIGIO GREY	POL4 BOOT	
	BLU BLUE	POL5 CNF1	



#### **DIMA CONNECTION**

Connect the boot pin to the pad n.10 of the soldering lay-by pins then verify that the switch BOOT present on the F34DM011 is set in position ON. Then it is necessary to solder a third wire on the CNF1 pad and connect it to the CNF1 clamp on the F34DM011 dima adapter.

