
plugin 1747




DIRECT CONNECTION

In order to connect to the ECU use the CABLE F32GN037C/D. Make sure that the POWER led (red) on Trasdata is ON USE this connection for the ECU READING ONLY.

COLORE FILO	DESCRIZIONE	
WIRE COLOUR	DESCRIPTION	
ROSSO	POSITIVO DIRETTO	
RED	POWER BATTERY	
ARANCIO	POSITIVO SOTTO QUADRO	
ORANGE	POWER SWITCH ON	
NERO	MASSA	
BLACK	GND	
GIALLO YELLOW	KLINE	
VERDE GREEN	CAN LOW	
BIANCO WHITE	CAN HIGH	
GRIGIO	POL4	
GREY	BOOT	
BLU	POL5	
BLUE	CNF1	
VIOLA/GRIGIO	TENSIONE PROG.	
PURPLE/GREY	PROG. VOLTAGE	
MARRONE BROWN	RESET [®]	



ECU CONNECTOR



WARNING:


on this ECU you must use two different flat cables: one is for the READING procedure and one is for the WRITING procedure


DIRECT CONNECTION - ECU READING:

For the READING procedure use the FLAT cable F34NTF53

Pin	Colore	
	Coulor	
11	Non usato	
11	Not used	
12	Non usato	
12	Not used	
13	Non usato	
- 10	Not used Non usato	
14	Not used	
20,000	Non usato	
15	Not used	
4.6	Non usato	
16	Not used	
17	Non usato	
1.1	Not used	
18	Grigio	
	Grey	
19	Bianco White	
Application of the state of the	Nero	
20	Black	
24	Marrone	
21	Brown	
22	Rosso	
22	Red	
23	Arancio	
	Orange Giallo	
24	Yellow	
25	Verde	
23	Green	
26	Non usato	
555	Not used	

To get access to the communication pads for the reading procedure you must remove part of the silicon that covers the ECU board. After properly removing the silicon and before connecting the wirings please check that the vehicle starts fine and that there are no fault codes or warning lights on the dashboard.





DIRECT CONNECTION - ECU WRITING:

For the WRITING procedure use the cable F34NTA13 directly connected to the ECU. Make sure that the POWER led (red) on Trasdata is ON

COLORE F		DESCRIZIONE DESCRIPTION	F34NTA13
	RRONE OWN	воот	SPORT www.dimsport.com
	BLU LUE	CNF	
NERO BLACK	GIALLO YELLOW OR	RXD	
GI	ALLO LLOW	1000	la company of the com
GRIGIO GREY	VERDE GREEN	TXD	
	OSSO RED	POSITIVO DIRETTO POWER BATTERY	
	ERO LACK	MASSA GND	

