


SIEMENS SIRIUS 32 200 RENAULT

plugin 336




SIEMENS SIRIUS 32 200 RENAULT


DIRECT CONNECTION

In order to connect to the ECU use the CABLE F32GN037C.
Make sure that the POWER led (red) on Trasdata is ON.

COLORE FILO WIRE COLOUR	DESCRIZIONE DESCRIPTION
ROSSO RED	POSITIVO DIRETTO POWER BATTERY
ARANCIO ORANGE	POSITIVO SOTTO QUADRO POWER SWITCH ON
NERO BLACK	MASSA GND
GIALLO YELLOW	KLINE
VERDE GREEN	CAN LOW
BIANCO WHITE	CAN HIGH
GRIGIO GREY	POL4 BOOT
BLU BLUE	POL5 CNF1
VIOLA/GRIGIO PURPLE/GREY	TENSIONE PROG. PROG. VOLTAGE
MARRONE BROWN	RESET



CONNETTORE ECU



Warning: for a correct communication it is necessary to connect the KLINE (yellow wire) to both pins B26 (L Line) and to B56 (K Line).

SIEMENS SIRIUS 32 200 RENAULT

POL4 CONNECTION

Connect the GREY wire of the F32GN037C cable as described:

COLORE FILO WIRE COULOR	DESCRIZIONE DESCRIPTION
GRIGIO	POL4
GREY	BOOT

